

Page 1/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: <u>S100 Kettenreiniger</u> S100 Chain Cleaner

· Article number: 2360

- 1.2 Relevant identified uses of the substance or mixture and uses advised against Void
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dr. O.K. Wack Chemie GmbH

Untere Au 9

DE-85107 Baar-Ebenhausen Tel.: +49 8453 41995-100 Mail: info@dr-wack.com www.dr-wack.com

- · Further information obtainable from: Safety department
- · 1.4 Emergency telephone number: During business hours: +49 8453 41995-501

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS02 GHS05 GHS07 GHS09

· Signal word Danger

· Hazard-determining components of labelling:

Hydrocarbons, C10 aromatics 2-Propylheptanolethoxilate

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

(Contd. on page 2)



Page 2/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

V - 10.0 (replaces version 9.0) Printing date 15.05.2024 Revision: 15.05.2024

Trade name: \$100 Kettenreiniger S100 Chain Cleaner

(Contd. of page 1)

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of the substances with nonhazardous additions.

| Dangerous components:   |  |          |
|---|--|----------|
| CAS: 64742-94-5<br>EC number: 918-811-1<br>Index number: 649-424-00-3<br>Reg.nr.: 01-2119463583-34-xxxx | Hydrocarbons, C10 aromatics<br>Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336,<br>EUH066  | ≥25-≤50% |
| CAS: 74-98-6<br>EINECS: 200-827-9<br>Index number: 601-003-00-5   | propane<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280  | <20%     |
| CAS: 106-97-8<br>EINECS: 203-448-7<br>Index number: 601-004-00-0  | butane<br>Flam. Gas 1A, H220; Press. Gas (Comp.), H280   | <20%     |
| CAS: 68439-50-9<br>NLP: 500-213-3<br>Reg.nr.: 01-2119487984-16-xxxx                                     | Alcohols, C12-14, ethoxylated<br>Aquatic Acute 1, H400; Aquatic Chronic 3, H412  | 5-10%    |
| CAS: 160875-66-1  | 2-Propylheptanolethoxilate<br>Eye Dam. 1, H318   | ≥3-≤5%   |
| CAS: 126-92-1<br>EINECS: 204-812-8<br>Reg.nr.: 01-2119971586-23-xxxx                                    | Sodium etasulfate<br>Eye Dam. 1, H318; Skin Irrit. 2, H315<br>Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 %<br>Eye Irrit. 2; H319: 10 % ≤ C < 20 % | 1-5%     |
| CAS: 111-87-5<br>EINECS: 203-917-6<br>Reg.nr.: 01-2119486978-10-xxxx                                    | 1-Octanol<br>Eye Irrit. 2, H319; Aquatic Chronic 3, H412   | ≥1-<2.5% |

· SVHC None

· Additional information: For the wording of the listed hazard phrases refer to section 16.



Page 3/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

Trade name: \$100 Kettenreiniger

S100 Chain Cleaner

(Contd. of page 2)

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Take affected persons out into the fresh air.

If symptoms persist consult doctor.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

After contact with skin, wash immediately with plenty of water.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · Hazards If swallowed or in case of vomiting, danger of entering the lungs.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Cool endangered receptacles with water spray.

Danger of bursting.

## SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Ensure adequate ventilation.

#### · 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Page 4/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

V - 10.0 (replaces version 9.0) Printing date 15.05.2024 Revision: 15.05.2024

Trade name: \$100 Kettenreiniger S100 Chain Cleaner

See Section 13 for disposal information.

(Contd. of page 3)

### SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Use only in well ventilated areas.

Avoid contact with skin and eyes.

## · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| DNELs      |                                  |                               |  |
|------------|----------------------------------|-------------------------------|--|
| 64742-94-  | 5 Hydrocarbons, C10 aromatics    |                               |  |
| Oral       | DNEL system. effects (long-term) | 7.5 mg/kg KG/Tag (consumer)   |  |
| Dermal     | DNEL system. effects (long-term) | 7.5 mg/kg KG/Tag (consumer)   |  |
|            |                                  | 12.5 mg/kg KG/Tag (worker)    |  |
| Inhalative | DNEL system. effects (long-term) | 32 mg/m³ (consumer)           |  |
|            |                                  | 151 mg/m³ (worker)            |  |
| 68439-50-  | 9 Alcohols, C12-14, ethoxylated  |                               |  |
| Oral       | DNEL system. effects (long-term) | 25 mg/kg (consumer)           |  |
| Dermal     | DNEL system. effects (long-term) | 1,250 mg/kg KG/Tag (consumer) |  |
|            |                                  | 2,080 mg/kg KG/Tag (worker)   |  |
| Inhalative | DNEL system. effects (long-term) | 87 mg/m³ (consumer)           |  |
|            |                                  | 294 mg/m³ (worker)            |  |
| 126-92-1   | Sodium etasulfate                |                               |  |
| Oral       | DNEL system. effects (long-term) | 24 mg/kg KG/Tag (consumer)    |  |
| Dermal     | DNEL system effects (long-term)  | 2,440 mg/kg KG/Tag (consumer) |  |



Page 5/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Trade name: S100 Kettenreiniger S100 Chain Cleaner

|                                   |                                    |                             | (Contd. of pa |
|-----------------------------------|------------------------------------|-----------------------------|---------------|
|                                   |                                    | 4,060 mg/kg KG/Tag (worker) |               |
| Inhalative                        | DNEL system. effects (long-term)   | 85 mg/m³ (consumer)         |               |
|                                   |                                    | 285 mg/m³ (worker)          |               |
| 111-87-5                          | 1-Octanol                          |                             |               |
| Oral                              | DNEL system. effects (long-term)   | 12.5 mg/kg (consumer)       |               |
| Dermal                            | DNEL system. effects (long-term)   | 25 mg/kg KG/Tag (consumer)  |               |
|                                   |                                    | 50 mg/kg KG/Tag (worker)    |               |
|                                   | DNEL local effects (short-term)    | 0.067 mg/cm² (consumer)     |               |
|                                   |                                    | 0.19 mg/cm² (worker)        |               |
| Inhalative                        | DNEL local effects (long-term)     | 106 mg/m³ (worker)          |               |
|                                   | DNEL system. effects (long-term)   | 43.5 mg/m³ (consumer)       |               |
|                                   |                                    | 176 mg/m³ (worker)          |               |
| PNECs                             |                                    |                             |               |
| 68439-50-                         | -9 Alcohols, C12-14, ethoxylated   |                             |               |
| PNEC 0.0                          | 0074 mg/l (marine water)           |                             |               |
| 10                                | ),000 mg/l (STP)                   |                             |               |
| 0.0                               | 074 mg/l (fresh water)             |                             |               |
| PNEC 1 i                          | mg/kg (soil)                       |                             |               |
| 6.0                               | 667 mg/kg (sediment (marine water  | ))                          |               |
| 66                                | 6.67 mg/kg (sediment (freshwater)) |                             |               |
| 126-92-1                          | Sodium etasulfate                  |                             |               |
| PNEC 0.0                          | 0136 mg/l (marine water)           |                             |               |
| 1.3                               | 35 mg/l (STP)                      |                             |               |
| 0.                                | 136 mg/l (fresh water)             |                             |               |
| 0.2                               | 22 mg/l (soil)                     |                             |               |
| PNEC 0.                           | 15 mg/kg (sediment (marine water)) |                             |               |
| 1.5 mg/kg (sediment (freshwater)) |                                    |                             |               |
| I                                 | 1-Octanol                          |                             |               |
| PNEC 0.0                          | 01 mg/l (marine water)             |                             |               |
| 0.                                | 1 mg/l (fresh water)               |                             |               |
| PNEC 0.2                          | 26 mg/kg (soil)                    |                             |               |
| 0.                                | 16 mg/kg (sediment (marine water)) |                             |               |
|                                   | 6 mg/kg (sediment (freshwater))    |                             |               |

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Be sure to clean skin thoroughly after work and before breaks.

Avoid contact with the eyes and skin.

(Contd. on page 6)



Page 6/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

Trade name: S100 Kettenreiniger S100 Chain Cleaner

(Contd. of page 5)

Use skin protection cream for skin protection.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

 Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state Aeroson
Colour: Yellow

· Odour: Product specific
· Odour threshold: Not determined
· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range -44 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 1.5 Vol %
 Upper: 10.9 Vol %
 Flash point: -97 °C
 Auto-ignition temperature: 365 °C

· **Decomposition temperature:** Not determined.

· pH Void

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

water: Fully miscible.
 Partition coefficient n-octanol/water (log value)
 Vapour pressure at 20 °C: 8,300 hPa

· Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.

(Contd. on page 7)



Page 7/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

V - 10.0 (replaces version 9.0) Printing date 15.05.2024 Revision: 15.05.2024

Trade name: \$100 Kettenreiniger S100 Chain Cleaner

(Contd. of page 6)

· 9.2 Other information

Appearance:

Aerosol · Form:

· Important information on protection of health and

environment, and on safety.

· Ignition temperature: Product is not selfigniting. · Explosive properties:

Heating may cause an explosion. Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Change in condition

· Evaporation rate Not applicable.

Information with regard to physical hazard classes

Void · Explosives · Flammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised container:

May burst if heated.

· Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable

Void gases in contact with water Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Store away from oxidising agents.
- 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

FU



Page 8/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

Trade name: S100 Kettenreiniger S100 Chain Cleaner

(Contd. of page 7)

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50  | · LD/LC50 values relevant for classification:          |                             |  |  |
|------------|--|-----------------------------|--|--|
| 64742-94-  | 5 Hydroc   | arbons, C10 aromatics       |  |  |
| Oral       | LD50   | >5,000 mg/kg (rat)          |  |  |
| Dermal     | LD50   | >2,000 mg/kg (rabbit)       |  |  |
| Inhalative | LC50   | >2-20 mg/l (rat)            |  |  |
| 106-97-8   | butane   |                             |  |  |
| Inhalative | LC50/4 h   | 658 mg/l (rat)              |  |  |
| 68439-50-  | 9 Alcohol  | ls, C12-14, ethoxylated     |  |  |
| Oral       | LD50   | >2,000 mg/kg (rat)          |  |  |
| Dermal     | LD50   | >3,000 mg/kg (rabbit)       |  |  |
| 160875-66  | 6-1 2-Prop   | ylheptanolethoxilate        |  |  |
| Oral       | LD50   | >2,000 mg/kg (rat)          |  |  |
| 126-92-1   | Sodium e   | tasulfate                   |  |  |
| Oral       | LD50   | 2,840 mg/kg (rat)           |  |  |
| Dermal     | LD50   | >2,000 mg/kg (rat)          |  |  |
| 111-87-5   | 1-Octanol  |                             |  |  |
| Oral       | Oral LD50 >5,000 mg/kg (rat) (OECD Prüfrichtlinie 401) |                             |  |  |
| Dermal     | LD50   | >2,000-5,000 mg/kg (rabbit) |  |  |

- · Specific symptoms in biological assay: Not determined
- Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

No irritating effect.

Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information: Vapours may cause drowsiness and dizziness.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

- EU



Page 9/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

Trade name: S100 Kettenreiniger S100 Chain Cleaner

(Contd. of page 8)

| 12.1 Toxic | city                |  |
|------------|---------------------|--|
| Aquatic to |                     |  |
| 64742-94-  | 5 Hydrocarbons, C1  | 0 aromatics  |
|            | LC50                | >1- <i>≤</i> 10 mg/l (Fish)                        |
|            |                     | >1- <i>≤</i> 10 mg/l (algae)                       |
| 68439-50-  | 9 Alcohols, C12-14, | ethoxylated  |
| Inhalative | LC50/96h            | 1.2 mg/l (Danio rerio)                             |
|            | EC10/72h            | <0.976 mg/l (Desmodesmus subspicatus)              |
|            | EC10/21d            | <0.745 mg/l (Daphnia magna)                        |
|            | EC50/48h            | 0.53 mg/l (Daphnia magna)                          |
| 160875-66  | 6-1 2-Propylheptano | lethoxilate  |
|            | LC50/96h            | >10-100 mg/l (Oncorhynchus mykiss)                 |
|            | EC50/48h            | >10-100 mg/l (Daphnia magna)                       |
| 126-92-1   | Sodium etasulfate   |  |
|            | LC50/96h            | >100 mg/l (Danio rerio)                            |
|            | EC50/72h            | >511 mg/l (Desmodesmus subspicatus)                |
|            | EC50/3h             | 135 mg/l (microorganisms)                          |
|            | NOEC/21d            | 1.4 mg/l (Daphnia magna)                           |
|            | EC50/48h            | 483 mg/l (Daphnia magna)                           |
| 111-87-5   | 1-Octanol           |  |
|            | LC50/96h (dynamic)  | >10-100 mg/l (Pimephales promelas)                 |
|            | EC50/24h (static)   | >10-100 mg/l (Daphnia magna)                       |
|            | NOEC/21d            | 1 mg/l (Daphnia magna)                             |
|            | EC50/48h (static)   | >10-100 mg/l (Desmodesmus subspicatus) (DIN 38412) |

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the

(Contd. on page 10)



Page 10/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

V - 10.0 (replaces version 9.0) Printing date 15.05.2024 Revision: 15.05.2024

Trade name: S100 Kettenreiniger

S100 Chain Cleaner

(Contd. of page 9)

request of a detergent manufacturer.

Toxic for aquatic organisms

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.

| · European | · European waste catalogue  |  |  |
|------------|---|--|--|
| 16 00 00   | 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST                                    |  |  |
| 16 05 00   | gases in pressure containers and discarded chemicals                                |  |  |
| 16 05 04*  | 04* gases in pressure containers (including halons) containing hazardous substances |  |  |

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN number or ID number                 |   |
|---|---|
| ADR, IMDG, IATA                             | UN1950  |
| 14.2 UN proper shipping name                |   |
| ADR   | 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS  |
| IMDG  | AEROSOLS (Hydrocarbons, C10 aromatics), MARINE POLLUTANT  |
| IATA  | AEROSOLS, flammable   |
| 14.3 Transport hazard class(es)             |   |
| ADR   |   |
| Class                                       | 2 5F Gases.   |
| Label                                       | 2.1   |
| IMDG, IATA                                  |   |
| Class                                       | 2.1 Gases.  |
| Label                                       | 2.1   |
| 14.4 Packing group                          |   |
| ADR, IMDG, IATA                             | Void  |
| 14.5 Environmental hazards:                 | Product contains environmentally hazardous substances   |
|   | Hydrocarbons, C10 aromatics   |
| Marine pollutant:                           | Yes   |
|   | Symbol (fish and tree)  |
| Special marking (ADR):                      | Symbol (fish and tree)  |
| 14.6 Special precautions for user           | Warning: Gases.   |
| Hazard identification number (Kemler code): | -   |
| EMS Number:                                 | F-D,S-U   |
| Stowage Code                                | SW1 Protected from sources of heat.   |
|   | SW2 Clear of living quarters.   |
| Segregation Code                            | SG69 For AEROSOLS with a maximum capacity of 1 litral Segregation as for class 9. Stow "separated from" class |



Page 11/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

Trade name: S100 Kettenreiniger S100 Chain Cleaner

|   | (Contd. of page  |
|---|--|
|   | except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. |
| · 14.7 Maritime transport in bulk accordinstruments               | ding to IMO<br>Not applicable.   |
| · Transport/Additional information:                               |  |
| · ADR<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ)  | 1L<br>Code: E0<br>Not permitted as Excepted Quantity   |
| · Transport category<br>· Tunnel restriction code                 | 2<br>D   |
| · IMDG<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ) | 1L<br>Code: E0<br>Not permitted as Excepted Quantity   |
| · UN "Model Regulation":  | UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY<br>HAZARDOUS  |

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P3a FLAMMÄBLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 12)



Page 12/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.05.2024 V - 10.0 (replaces version 9.0) Revision: 15.05.2024

Trade name: S100 Kettenreiniger S100 Chain Cleaner

(Contd. of page 11)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008 Calculation method

· Date of previous version: 02.08.2023

· Version number of previous version: 9.0

Abbreviations and acronyms:

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

ΕU