

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)


Revision: 28.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **S100 Funktions-Waschmittel**
S100 Technical Fabric & Leather Wash
- **Article number:** 2182
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Void
- **Application of the substance / the mixture** Cleaning agent/ Cleaner
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Dr. O.K. Wack Chemie GmbH
Untere Au 9
DE-85107 Baar-Ebenhausen
Tel.: +49 8453 41995-100
Mail: info@dr-wack.com
www.dr-wack.com
- **Further information obtainable from:** Safety department
- **1.4 Emergency telephone number:** During business hours: +49 841 635-23

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**
- 
- GHS07
- **Signal word** Warning
- **Hazard statements**
H319 Causes serious eye irritation.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
Contains Subtilisin. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of the substances with nonhazardous additions.

· **Dangerous components:**

CAS: 157627-86-6	Alcohols, C13-15, branched and linear, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302; Aquatic Chronic 3, H412	<15%
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20-xxxx	Sulfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 10 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 10 % ≤ C < 15 %	<10%
CAS: 9014-01-1 EINECS: 232-752-2 Index number: 647-012-00-8	Subtilisin Resp. Sens. 1, H334; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335	≥0.1-<0.25%
CAS: 3811-73-2 EINECS: 223-296-5	pyridine-2-thiol 1-oxide, sodium salt Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	≥0.0025-<0.025%

· **SVHC** None

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:** No special measures required.

· **After inhalation:** No special measures required.

· **After skin contact:**

Rinse with warm water.

Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** None

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 2)

- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Clean the affected area carefully; suitable cleaners are:
Warm water
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

57-55-6 propane-1,2-diol

Oral	DNEL system. effects (long-term)	85 mg/kg (consumer)
Dermal	DNEL system. effects (long-term)	213 mg/kg (consumer)
Inhalative	DNEL local effects (long-term)	10 mg/m ³ (consumer)
	DNEL system. effects (long-term)	50 mg/m ³ (consumer)
		168 mg/m ³ (worker)
	DNEL local effects (short-term)	10 mg/m ³ (worker)

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 3)

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts		
Oral	DNEL system. effects (long-term)	7.1 mg/kg KG/Tag (consumer)
Dermal	DNEL local effects (short-term)	2.8 mg/m ² (consumer)
		2.8 mg/m ² (worker)
	DNEL system. effects (long-term)	3.57 mg/kg KG/Tag (consumer)
		5 mg/kg KG/Tag (worker)
	DNEL local effects (short-term)	2.8 mg/cm ² (consumer)
		2.8 mg/cm ² (worker)
Inhalative	DNEL local effects (long-term)	2.8 mg/cm ² (worker)
	DNEL system. effects (long-term)	12.4 mg/m ³ (consumer)
		35 mg/m ³ (worker)

· PNECs

57-55-6 propane-1,2-diol

PNEC 260 mg/l (fresh water)

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts

PNEC 0.004 mg/l (marine water)
600 mg/l (STP)
0.04 mg/l (fresh water)

PNEC 9.4 mg/kg (soil)
0.94 mg/kg (sediment (marine water))
9.4 mg/kg (sediment (freshwater))

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes.

Use skin protection cream for skin protection.

· Respiratory protection: Not required.

· Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 4)

· **Eye/face protection** Safety glasses

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Fluid
· Colour:	Green
· Odour:	Characteristic
· Odour threshold:	Not determined
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	99-250 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Void
· Upper:	Void
· Flash point:	None
· Auto-ignition temperature:	No further relevant information available.
· Decomposition temperature:	Not determined.
· pH at 20 °C	8.5 +/- 0.1 (DIN 19268)
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	110 +/- 40 mPas (DIN 53019)
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.05 +/- 0.02 g/cm ³ (DIN 51757)
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 5)

· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Store away from oxidising agents.
- **10.6 Hazardous decomposition products:**
No decomposition if used and stored according to specifications.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

157627-86-6 Alcohols, C13-15, branched and linear, ethoxylated

Oral	LD50	>300-2,000 mg/kg (rat)
------	------	------------------------

57-55-6 propane-1,2-diol

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (rab)

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts

Oral	LD50	>500-2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)

9014-01-1 Subtilisin

Oral	LD50	1,800 mg/kg (rat) (OECD Prüfrichtlinie 401)
------	------	---

- **Specific symptoms in biological assay:** Not determined

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 6)

- **Skin corrosion/irritation**
No irritating effect.
Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

157627-86-6 Alcohols, C13-15, branched and linear, ethoxylated

LC50/96h >1-10 mg/l (Brachydanio rerio)

EC50/72h >1-10 mg/l (Scenedesmus subspicatus)

EC50/48h >1-10 mg/l (Daphnia magna)

57-55-6 propane-1,2-diol

LC50/96h 40,613 mg/l (Oncorhynchus mykiss)

EC50/72h 24,200 mg/l (Scenedesmus capricornutum)

EC50/48h >100 mg/l (Daphnia magna)

LC50/48h 43,500 mg/l (Daphnia magna)

97489-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts

LC50/96h 8.4 mg/l (Leuciscus idus)

EC50/72h >61 mg/l (Desmodesmus subspicatus) (OECD Prüfrichtlinie 201)

NOEC/28d 0.85 mg/l (Oncorhynchus mykiss) (OECD Prüfrichtlinie 204)

NOEC/22d 0.36 mg/l (Daphnia magna) (OECD Prüfrichtlinie 202)

EC50/48h 9.81 mg/l (Daphnia magna) (OECD Prüfrichtlinie 202)

9014-01-1 Subtilisin

LC50/96h 8.2 mg/l (Fish)

EC50/72h 0.83 mg/l (algae) (OECD Prüfrichtlinie 201)

EC50/48h 0.586 mg/l (Daphnia magna)

3811-73-2 pyridine-2-thiol 1-oxide, sodium salt

LC50/96h 0.00767 mg/l (Danio rerio) (OECD Prüfrichtlinie 203)

EC50/72h 0.46 mg/l (selenastrum capricornutum) (OECD Prüfrichtlinie 201)

EC50/3h 1.81 mg/l (activated sludge) (OECD Prüfrichtlinie 209)

NOEC/72h 0.08 mg/l (selenastrum capricornutum) (OECD Prüfrichtlinie 203)

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 7)

EC50/48h 0.022 mg/l (*Daphnia magna*) (OECD Prüfrichtlinie 202)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Disposal must be made according to official regulations.

· **European waste catalogue**

20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 30	detergents other than those mentioned in 20 01 29

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:** None

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 8)

· Marine pollutant:	No
· 14.6 Special precautions for user	None
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.02.2024

V - 11.0 (replaces version 10.2)

Revision: 28.02.2024

Trade name: S100 Funktions-Waschmittel
S100 Technical Fabric & Leather Wash

(Contd. of page 9)

H335 May cause respiratory irritation.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH070 Toxic by eye contact.

· **Classification according to Regulation (EC) No 1272/2008**

The skin and/or eye classification of this product was derived using bridging principles (such as dilution, interpolation within one hazard category or substantially similar mixtures; with or without expert judgement) following Article 9(3) and Article 9(4) of Regulation (EC) No 1272/2008.

DetNet logging number: 258

· **Date of previous version: 12.06.2023**

· **Version number of previous version: 10.2**

· **Abbreviations and acronyms:**

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**